Dated 2013-12-31



# **Technical Report**

Applicant: Jiangsu Acrel Electric MFG Co., Ltd.

No. 5, Dongmeng Road, Nanzha Town, Jiangyin, Jiangsu, P. R. China

Attn: Sun Xiaohua

Test subject: The submitted Products were received and described by client as:

**Product Name: Current Transformer** 

Please refer to the APPENDIX II for product model and picture.

Tested components: Refer to Page 3~14

Test specification: 2011/65/EU (RoHS) Directives

Test with reference to EN 62321:2009

**Test result:** Refer to the data listed in following pages

**Conclusion:** With regard to the data of tested components, the requirements of Directive

2011/65/EU (RoHS) are complied.

**Remarks:** 1. The result relates only to the items tested

2. Samples were tested as received

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Wuxi Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn

Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



1. Order

**1.1 Date of Purchase Order,** 2013-12-25

1.2 Customer's Reference

1.3 Receipt Date of Test Sample 2013-12-25

**1.4 Date of Testing** 2013-12-25~2013-12-31

**1.5 Document submitted** Bill of Material

1.6 Location of Testing TÜV PS WUX

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

www.tuv-sud.cn

Shanghai Chemical Lab

Dated 2013-12-31



# 2. Description of the tested specimen

Sample No.	Result	Description (Material, colour)	Photograph/Location
01	Pass	Screw, silvery, metal	
02	Pass	Nut, silvery, metal	
03	Pass	Press board, silvery, metal	
04	Pass	Shell, grey, PC and ABS	

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
05	Pass	Shell, grey, ABS	
06	Pass	Core, black, iron	
07	Pass Cover, transparent, plastic		
08	Pass	Cap, grey, plastic	

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

Dated 2013-12-31



$\sim$	h	ï	n	-
U	П	ı	П	d

Sample No.	Result	Description (Material, colour)	Photograph/Location
09	Pass	Cover, black, plastic	
10	Pass	Press block, silvery, copper	
11	Pass	Press board, silvery, metal	
12	Pass	Solder, silvery, alloy	

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
13	Pass	Screw, silvery, metal	
14	Pass	Enamelled wire, golden, copper	
15	Pass	Label	
16	Pass	Print belt, black	

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
17	Pass	Insulation tube, white and green, plastic	
18	Pass	Epoxy, black	

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



#### 3. Test Results

3.1 ED-XRF Spectrometer test for total Cadmium, Chromium, Mercury, Lead and Bromine according to EN 62321:2009

### Criteria of XRF test results

#### Pass:

Because of the nature of the testing procedure (caused by the uncertainty of the used, XRF method), a definite pass is given only if the XRF test score is less than 60% of the respective RoHS limit.

#### Retest:

If the XRF test score is between 60% and 150% of the respective RoHS limit, further chemical test on the sample is required.

### Fail:

A definite FAIL is given if the XRF test score is above 150% of the respective RoHS limit

### \*Explanation for RoHS limit

Regarding Chromium and Bromine, the XRF test score shows the total Chromium and the total Bromine, but the RoHS limit of 1000 mg/kg, according to the directive 2011/65/EU, is only for Hexavalent Chromium and Brominated Flame Retardants. Therefore, if the XRF test result for the total Chromium and the total Bromine is more than 600 mg/kg and 300 mg/kg respectively, further analytical tests are necessary to find out the exact amount of Hexavalent Chromium and Brominated Flame Retardants

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

www.tuv-sud.cn

Shanghai Chemical Lab

No.1999 Duhui Road

Shanghai City

Dated 2013-12-31



	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Retest result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
01	<30	135	<30	819		Retest
02	<30	280	<30	722		Retest
03	<30	<30	<30	516		Pass
04	<30	<30	<30	<30	21259	Retest
05	<30	<30	<30	<30	19358	Retest
06	<30	63	<30	8285		Retest
07	<30	<30	<30	<30	<30	Pass
08	<30	<30	<30	<30	21308	Retest
09	<30	<30	<30	<30	<30	Pass
10	<30	23719**	<30	<30		Pass
11	<30	21026**	<30	<30		Pass
12	<30	<30	<30	<30		Pass
13	<30	178	<30	28785		Retest
14	<30	<30	<30	<30		Pass
15	<30	<30	<30	<30	<30	Pass

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Retest result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
16	<30	<30	<30	<30	<30	Pass
17	<30	211	<30	<30	<30	Pass
18	<30	<30	<30	<30	<30	Pass

### Remark:

- 1. "<" means "less than".
- 2. "mg/kg" denotes "milligram per kilogram".
- 3. With regard to the stoichiometry of Br in PBBs and PBDEs, the lower limit for Br is set at 300 mg/kg.
- 4. "--" means the substance for this sample are not tested.
- 5. "\*\*" means the result is exempted according to 2011/65/EU ANNEX item 6: Lead as an alloying element in steel containing up to 0,35 % lead by weight, aluminum containing up to 0,4 % lead by weight and as a copper alloy containing up to 4 % lead by weight.

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Dated 2013-12-31



### 3.2 Wet chemical test

# Main instruments used for wet chemical test

Testing Target	Instrument	Method
Lead & Cadmium	ICP-OES	
Mercury	ICP-OES	EN 62321:2009
Hexavalent Chromium	UV-Vis	EN 02321:2009
PBBs & PBDEs	GC/MS	

# Criteria of chemical test results

### Pass:

A definite Pass is given If the chemical test result meets the requirements of RoHS.

#### Fail:

A definite Fail is given If the chemical test result exceeds the full respective RoHS limit.

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

www.tuv-sud.cn

Dated 2013-12-31



Test	Cadmium	Lead	Mercury	Chromium (VI) <sup>§</sup>	PBBs (Sum)	PBDEs (Sum)	OVERALL
Sample	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]	RESULT
Limit	100	1000	1000	§	1000	1000	
01				Negative			Pass
02				Negative			Pass
04					<50	<50	Pass
05					<50	<50	Pass
06				Negative			Pass
08					<50	<50	Pass
13				Negative			Pass

### Remark:

- 1. " -- " means the substance for this sample are not tested.
- 2. "mg/kg" denotes "milligram per kilogram"
- 3. N.D. = Not detected (Detected limit of Cd: 2mg/kg; Pb, Hg, CrVI, PBBs and PBDEs: 5mg/kg)
- 4." §" Positive indicates the presence of Hexavalent Chromium on the tested areas and result be regarded as conflict with RoHS requirement.
  - Negative indicates the absence of Hexavalent Chromium on the tested areas and result be regarded as no conflict with RoHS requirement.

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

PBBs	04	05	08
MONOBROMOBIPHENYL	ND	ND	ND
DIBROMOBIPHENYL	ND	ND	ND
TRIBROMOBIPHENYL	ND	ND	ND
TETRABROMOBIPHENYL	ND	ND	ND
PENTABROMOBIPHENYL	ND	ND	ND
HEXABROMOBIPHENYL	ND	ND	ND
HEPTABROMOBIPHENYL	ND	ND	ND
OCTABROMOBIPHENYL	ND	ND	ND
NONABROMOBIPHENYL	ND	ND	ND
DECABROMOBIPHENYL	ND	ND	ND
Total Sum of PBBs	<50	<50	<50
PBDEs			
MONOBROMODIPHENYL ETHER	ND	ND	ND
DIBROMODIPHENYL ETHER	ND	ND	ND
TRIBROMODIPHENYL ETHER	ND	ND	ND
TETRABROMODIPHENYL ETHER	ND	ND	ND
PENTABROMODIPHENYL ETHER	ND	ND	ND
HEXABROMODIPHENYL ETHER	ND	ND	ND
HEPTABROMODIPHENYL ETHER	ND	ND	ND
OCTABROMODIPHENYL ETHER	ND	ND	ND
NONABROMODIPHENYL ETHER	ND	ND	ND
DECABROMODIPHENYL ETHER	ND	ND	ND
Total Sum of PBDEs	<50	<50	<50

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn

Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



### Remark:

- 1. ND = Not detected (Detected limit of Cd :2mg/kg;Pb, Hg, and Cr(VI):5mg/kg; PBBs and PBDEs: 5mg/kg)
- 2. "mg/kg" denotes "milligram per kilogram".
- 3. " -- " means the substance for this sample are not tested.

# Jiangsu TUV Product Service Ltd.

### Prepared by:



Mr. Feng ZHANG

### Checked by:



Mr. Yongfeng DU

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



## **APPENDIX I: Official Exemption Items**

Below items are quoted based on 2011/65/EU and its valid Amending Directives.

	Exemption	Scope and dates of applicability
1	Mercury in single capped (compact) fluorescent lamps not exceeding (per burner)	
1(a)	For general lighting purpose< 30 W:5mg	Expires on 31 December 2011; 3,5mg maybe used per burner after 31 December 2011 until 31 December 2012; 2.5mg shall be used per burner after 31 December 2012
1(b)	For general lighting purposes ≥ 30 W and < 50 W:5mg	Expires on 31 December 2011; 3,5mg maybe used per burner after 31 December 2011 until 31 December 2012; 2.5mg shall be used per burner after 31 December 2012
1(c)	For general lighting purposes ≥ 50 W and < 150 W:5mg	
1(d)	For general lighting purpose ≥ 30 W and ≥ 150 W:15mg	
1(e)	For general lighting purpose with circular or square structural shape san tube diameter <17mm	No limitation of use until 31 December 2011; 7 mg may be used per burner after 31 December 2011
1(f)	For special purposes:5mg	
2(a)	Mercury in double capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp)	
2(a)(1)	Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2): 5mg	Expires on 31 December 2011; 4mg may be used per lamp after 31 December 2011
2(a)(2)	Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17mm (e.g. T5): 5mg	Expires on 31 December 2011; 3mg may be used per lamp after 31 December 2011
2(a)(3)	Tri-band phosphor with normal lifetime and a tube diameter >17 mm and ≤ 28mm (e.g. T8): 5mg	Expires on 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
2(a)(4)	Tri-band phosphor with normal lifetime and a tube diameter >28mm (e.g. T12): 5mg	Expires on 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
2(a)(5)	Tri-band phosphor with long lifetime(≥25 000h):8mg	Expires on 13 December 2011;5mg may be used per lamp after 31 December 2011
2(b)	Mercury in other fluorescent lamps not exceeding (per lamp):	

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn

No.1999 Duhui Road Shanghai City

Shanghai Chemical Lab

Dated 2013-12-31



China

	Exemption	Scope and dates of applicability
	- P	, and the second
2(b)(1)	Linear halophosphate lamps with tube >28 mm(e.g.T10 and T12): 10mg	Expires on 13 April 2012
2(b)(2)	Non-linear halophosphate lamps (all diameters):15mg	Expires on 13 April 2016
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter >17mm (e.g. T9)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
2(b)(4)	Lamps for other general lighting and special purposes (e.g. induction lamps)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
3	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp)	
3(a)	Short length(≤500mm)	No limitation of use until 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
3(b)	Medium length (> 500mm and ≤ 1 500mm)	No limitation of use until 31 December 2011; 5 mg may be used per lamp after 31 December 2011
3(c)	Long length (> 1 500mm)	No limitation of use until 31 December 2011; 13 mg may be used per lamp after 31 December 2011
4(a)	Mercury in other low pressure discharge lamps (per lamp)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
4(b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra >60;	
4(b)-I	P≤155 W	No limitation of use until 31 December 2011; 30mg may be used per burner after 31 December 2011
4(b)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(b)-III	P > 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(c)	Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner)	
4(c)-I	P≤155 W	No limitation of use until 31 December 2011; 25mg may be used per burner after 31 December 2011
4(c)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 30mg may be used per burner after 31 December 2011

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

Exemption		Scope and dates of applicability
4(c)-III	P > 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(d)	Mercury in High Pressure Mercury (vapour) lamps (HPMV)	Expires on 13 April 2015
4(e)	Mercury in metal halide lamps (MH)	
4(f)	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex	
5(a)	Lead in glass of cathode ray tubes	
5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight	
6(a)	Lead as an alloying element in steel for machining purposes and in galvanized steel containing up to 0,35 % lead by weight	
6(b)	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight	
6(c)	Copper alloy containing up to 4 % lead by weight	
7(a)	Lead in high melting temperature type solders (i.e. lead- based alloys containing 85 % by weight or more lead)	
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	
7(c)-l	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher	
7(c)-III	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors'	

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn

Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

	Exemption	Scope and dates of applicability
8(a)	Cadmium and its compounds in one shot pellet type thermal cut-offs	Expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012
8(b)	Cadmium and its compounds in electrical contacts	
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution	
9(b)	Lead in bearing shells and bushes for refrigerant- containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications	
11(a)	Lead used in C-press compliant pin connector systems	May be used in spare parts for EEE placed on the market before 24 September 2010
11(b)	Lead used in other than C-press compliant pin connector systems	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
12	Lead as a coating material for the thermal conduction module C-ring	May be used in spare parts for EEE placed on the market before 24 September 2010
13(a)	Lead in white glasses used for optical applications	
13(b)	Cadmium and lead in filter glasses and glasses used for reflectance standards	
14	Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight	Expires on 1 January 2011 and after that date may be used in spare parts for EEE placed on the market before 1 January 2011
15	Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages	
16	Lead in linear incandescent lamps with silicate coated tubes	Expires on 1 September 2013
17	Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications	
18(a)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as speciality lamps for diazoprinting reprography, lithography, insect traps, photochemical and curing processes containing phosphors such as SMS ((Sr,Ba) <sub>2</sub> MgSi <sub>2</sub> O <sub>7</sub> :Pb)	Expires on 1 January 2011

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn

Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

Exemption		Scope and dates of applicability
18(b)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP(BaSi 2O <sub>5</sub> :Pb)	
19	Lead with PbBiSn-Hg and PbInSn-Hg in specific compositions as main amalgam and with PbSn-Hg as auxiliary amalgam in very compact energy saving lamps (ESL)	Expires on 1 June 2011
20	Lead oxide in glass used for bonding front and rear substrates of flat fluorescent lamps used for Liquid Crystal Displays (LCDs)	Expires on 1 June 2011
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	
23	Lead in finishes of fine pitch components other than connectors with a pitch of 0,65 mm and less	May be used in spare parts for EEE placed on the market before 24 September 2010
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors	
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring	
26	Lead oxide in the glass envelope of black light blue lamps	Expires on 1 June 2011
27	Lead alloys as solder for transducers used in high- powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers	Expired on 24 September 2010
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC (1)	
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more	
31	Lead in soldering materials in mercury free flat fluorescent lamps (which e.g. are used for liquid crystal displays, design or industrial lighting)	
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	
33	Lead in solders for the soldering of thin copper wires of 100 um diameter and less in power transformers	
34	Lead in cermet-based trimmer potentiometer elements	

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31



China

Exemption		Scope and dates of applicability
36	Mercury used as a cathode sputtering inhibitor in DC plasma displays with a content up to 30 mg per display	Expired on 1 July 2010
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body	
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide	
39	Cadmium in colour converting II-VI LEDs (< 10 ug Cd per mm 2 of light-emitting area) for use in solid state illumination or display systems	Expires on 1 July 2014
40	Cadmium in photoresistors for analogue optocouplers applied in professional audio equipment	Expires on 31 December 2013

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

www.tuv-sud.cn

Shanghai Chemical Lab

No.1999 Duhui Road



China

### **APPENDIX II**







AKH-0.66 40I



AKH-0.66 60I



AKH-0.66 80I



AKH-0.66 40II



AKH-0.66 50II



AKH-0.66 60II



AKH-0.66 80II



AKH-0.66 100II

www.tuv-sud.cn



AKH-0.66 60\*50II



AKH-0.66 80\*50II



AKH-0.66 100\*50II

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737 Fax: +86-510-88203636 Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City

Dated 2013-12-31







AKH-0.66 120\*50II

AKH-0.66 130\*50II

-- END OF REPORT--

No extract, abridgment or abstraction from the report can be published or used to advertise a product without the written consent from Jiangsu TUV Product Service Ltd. Shanghai Branch. The results contained herein apply only to the tested specimens based on the listed test specifications and not to other samples/conditions in regular production.

Jiangsu TÜV Product Service Ltd. Wuxi Branch 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China info@tuv-sud.cn Tel.: +86-510-88203737 Fax: +86-510-88203636

www.tuv-sud.cn

Shanghai Chemical Lab

No.1999 Duhui Road Shanghai City